

SISTEMA METALFRONT CON DETECTOR DE METALES



CARACTERÍSTICAS

VIGILANCIA DE ALTA CALIDAD + Detección de metales. Doble seguridad para evitar hurtos y garantizar el mejor entorno de compras para su tienda. Lleva la seguridad y la protección al siguiente nivel, ya que cuenta con la capacidad de detectar las bolsas de forradas de aluminio.

RENDIMIENTO SUPERIOR

Detección de largo alcance Mayor inmunidad al ruido Alerta de etiqueta demasiado cerca Osciloscopio virtual en el software de configuración

DISEÑO ELEGANTE con perfiles y base curvos Marcos fabricados en aluminio de alta calidad Materiales de PVC fabricados con moldes de alta precisión

ELECTRÓNICA INTEGRADA

Configuración de software para una mayor facilidad de

Visualización en el software de la onda señal

OPCIONAL:

ASISTENCIA TÉCNICA EN REMOTO

TECHNICAL SPECIFICATIONS

Power Supply: 24VDCPSU Adapter Input: 100~240VAC

▲ Power consumption: 24W
 ▲ Central frequency: 8.2MHz
 ▲ Sweep Range: 8.2±0.5MHz

▲ Alarm light: Red (EAS) and Blue (MD)

▲ Alarm volume: 0~120dB




RANGO DE DETECCIÓN

ETIQUETA ADHESIVA: +- 1,60MTS. ETIQUETA RÍGIDA: +- 1,80MTS.

DIMENSIONS

Height: 1670mm
Width: 401mm
Depth: 109mm
Weight: 10.2kg



PRODUCT REFERENCES

| Model (+MD) | Antenna Frame | Remark |
|--------------|------------------------------------|---|
| CA35L-G07/F3 | Dual RF system, incl. cable kit | TX antenna and RX antenna work together Single antenna cannot work. |